DOCKET NO. SC11850HP

		Application Number	10/092.683		
TRANSMITTAL FORM		Filing Date	March 6, 2002		
		First Named Inventor	Man Hon Cheng et al.		
		Group Art Unit	2827		
		Examiner Name	James M. Mitchell		
Total Number of Pages in this Submission 9		Attorney Docket Number	SC11850HP		
ENCLOSURES (check all that apply)					
Fee Transmittal Form		Assignment Papers (for an Application)	After Allowance Communication to Group		
Fee Attached		Drawing(s)	Appeal Communication to Board of Appeals and Interferences		
X Amendment/Reply		Licensing-Related pape			
After Final		Petition	Proprietary Information		
Affidavits/Declaration(s)		Petition to Convert to a Provisional Application	Status L	Status Letter with appropriate copies	
Extension of time Request		Power of Attorney, Revocation, Other Enclosure		closure(s) (please identify below) onse to Rastriction Requirement	
Express Abandonment Request		Address   Associate Power of Att		ociate Power of Attorney	
Information Disclosure Statement		Terminal Disclaimer		•	
Certified Copy of Priority Documents		Request for Refund	Request for Refund		
Response to Missing Parts/		CD, Number of CDs	er of CDs		
Incomplete Application		Remarks  X Facsimile Transmittal Sheet			
Response to Missing Parts Under 37 CFR 1.52 or 1.53					
SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT					
Firm or Individual	William E. Koch		Registration No.	29,659	
Signature William E. Kiz					
Date November 15, 2002					
CERTIFICATE OF TRANSMITTAL  I hereby certify that this correspondence is being facsimile transmitted or deposited with the United States Postal Service with sufficient					
postage thereon, as first-class mail, in an envelope addressed to:  Commissioner for Patents, Washington, DC 20231 on the date listed below:					
Typed or printed name V. Lynn Webb					
Signature	U. Q.	y Wolk	Date	November 15, 2002	

FAX RECEIVED

NOV 1 5 2002

TECHNOLOGY CENTER 2800

DOCKET NO. SC11850HP



Motorola, Inc. Law Department 3102 North 56th Street Phoenix, Arizona 85018 602-952-4399

Telephone:

(602) 952-4376 Facsimile:

Number of Pages (including this page)

Date:

November 15, 2002

To:

James M. Mitchell - 2827

**FAX RECEIVED** 

Location:

United States Patent and Trademark Office

NOV 1 5 2002

Fax No.:

703-305-3432

**TECHNOLOGY CENTER 2800** 

From:

William E. Koch - 29,659

Subject:

10/092,683- Man Hon Cheng et al.

SC11850HP

NOTICE: This facsimile transmission may contain information that is confidential, privileged, or exempt from disclosure under applicable law. It is intended only for the person to whom it is addressed. Unauthorized use, disclosure, copying or distribution may expose you to legal liability. If you have received this transmission in error, please immediately notify us by telephone (collect) to arrange for return of the documents received and any copies made. Thank you.

### MESSAGE:

Enclosed herewith, please find AMENDMENT for filing in the below-identified application.

# PLEASE GIVE THESE PAPERS TO:

EXAMINER: James M. Mitchell **GROUP ART UNIT: 2827** SERIAL NO.: 10/092,683

FILED: MARCH 6, 2002

INVENTOR: MAN HON CHENG ET AL.

DOCKET NO .: SC11850HP

#### UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT(S)

Man Hon Cheng et al.

GROUP ART UNIT:

APPLN. NO.:

10/092,683

**EXAMINER:** 

JNIT: 2827

James M. Mitchell Holf

Ands

U. Münde

FILED:

March 6, 2002

TITLE:

MULTI-ROW LEADFRAME

## **AMENDMENT**

This Amendment is submitted in response to the Office Action mailed October 7, 2002 in the above-identified patent application.

Please amend the application, without prejudice, as follows:

## In the Claims:

Please cancel claims 6 and 7 and amend claims 1, 3, 8, 9 and 12 as follows.

- 1. (Amended) A leadframe for a semiconductor device, the leadframe comprising:
- a paddle ring having an inner perimeter, an outer perimeter, and a cavity located within the inner perimeter for receiving an integrated circuit die:

a first row of terminals generally surrounding the paddle ring outer perimeter, wherein each of the terminals of the first row of terminals is individually connected to the paddle ring: and

a second row of terminals surrounding the first row of terminals, wherein each of the terminals of the second row of terminals is connected to one side of a connection bar and wherein the inner row of terminals is connected to the outer row of terminals at a corner of the connection bar.

**FAX RECEIVED** 

NOV 1 5 2002

**TECHNOLOGY CENTER 2800**